Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



1840

1910

OLD COLONY NURSERIES

1910

T. R. WATSON, PLYMOUTH, MASS.

ANSWERS TO SOME QUESTIONS.

All plants, shrubs, or trees offered in this catalogue can be planted with success in the spring.

The planting season varies; sometimes beginning as early as March 20, sometimes as late as April 6.

For fall planting the best results are obtained with Herbaceous Perennials, from September 15 to November 1. They should be protected with a mulching of pine needles or some other like material.

If it is desired to plant Evergreens in the fall they should be planted the last week in August or the first week in September. Here the percentage of loss on Evergreens planted in the fall has always been much larger than on the same stock planted in the spring.

All deciduous shrubs and trees, including all the fruits offered, can be planted in the fall as readily as in the spring. These are generally ripened enough to ship from October 20 to November 1; but occasionally these dates must be advanced. From the time they are ripe until the ground is frozen it is perfectly safe to plant; the later the better.

Azaleas, Hybrid Roses and Rhododendrons should be planted in the spring only.

Planting:—Puddle every plant in mud about the consistency of thick cream. Let the hole be large enough to take the roots easily. Tamp the earth in about the roots as firmly as you would set a fence post. This for thoroughly well cultivated ground. If the ground is sod; trench to the depth of two feet, leaving the fine soil on top. Single trees or shrubs planted in sod: make the hole at least three feet in diameter and two feet deep; put the sod in bottom of the hole and use the fine soil to plant the tree.

Manure:—Well rotted stable manure the best; hard wood ashes good; if you cannot get any of these, use any commercial fertilizer.

Starved plants will not thrive. Plants overgrown with weeds and grass will not grow. They should be hoed once in ten days.

NO. 87 PRICE LIST

Of Hardy, Ornamental Trees, Hardy Flowering Shrubs, Evergreens, Roses, Bulbs, Herbaceous Plants, Fruits, etc., for Parks, Cemeteries, Gardens and Public and Private Grounds.

1840 T. R. WATSON

OLD COLONY NURSERIES, PLYMOUTH, MASS., U.S. A.

Home or foreign orders filled with utmost care and promptness.

GUARANTEE. We take the greatest pains to have every plant marked true to name. Any plant incorrectly marked will be promptly replaced, or money returned. We do not guarantee any more than the original cost of the plant.

We cannot guarantee plants to live, at the prices of this catalogue. We send out young, thrifty plants; which should live if properly planted and cared for.

1910

ORDERS.

Please use the order sheet and fill out all the blanks. Write your name and shipping address (also P. O. address, if different) as clearly as possible. Say whether you will have them sent by express or freight. Remit by check or P. O. order. Stamps for small amounts. Please follow the order of the catalogue and carry out prices.

PACKING.

is charged at cost of the case or bale.

Delivery of all packages to freight or express free.

We do not pay either freight or express.

All plants at the risk of the purchaser after they are delivered to the public carrier.

Notify us at once of any delay in receipt of stock.

Notify us promptly of any error in filling order.

From the following lists; five at the ten rate; fifty at the hundred rate.

Special quotations will be given for plants in quantity and to the trade.

Alphabetical List of Common Names with corresponding Botanical Name.

To avoid confusion please order by the Botanical Name. For instance Japanese Privet means either Ligustrum Ovalifolium or Ligustrum Ibota; Japanese Rose means either Rosa Multiflora, Rosa Rugosa, Kerria Japonica or Rosa Wichuriana. Additions to this List will be gladly received where the plant is offered.

Bear Grass-Yucca Filamentosa

Adams Needle-Yucca filamentosa Alder, Black-Ilex verticillata Almond, Flowering-Prunus Japonica Althea-Hibiscus Syriacus Angelica Tree-Aralia spinosa Apple, Flowering-Pyrus Arbor Vitæ-Thuja or Thuva Arrow wood-Viburnum dentatum Ash—Fraxinus. Pyrus Azalea— Rhododendrons Baby's Breath—Gypsophila paniculata Balm of Gilead-Populus balsamifera var. candicans. Balsam Fir—Abies balsamea Bamboo-Arundinaria Barberry-Berberis Basswood—Tilia Americana Bayberry-Myrica cerifera Beach Plum--Prunus maritima Bean Tree-Laburnum vulgare

Bearberry—Arctostaphylos Uva-Ursi

Bee Balm-Monarda didvma Beech-Fagus Bee Tree-Tilia Bell Flower--Campanula Benjamin Bush-Lindera Benzoin Beverly Broom-Genista tinctoria Birch-Betula Birthwort—Aristolochia Bitternut-Carva amara Bittersweet-Celastrus scandens Bilsted-Liquidambar Blackberry Lily-Pardanthus Sinensis Black Haw-Viburnum prunifolium Blanket Flower-Gaillardia grandiflora Bleeding Heart—Dicentra spectabilis Dielvtra Blueberry-Vaccinium Blue Flag-Iris versicolor Bohemian Olive-Eleagnus hortensis Boston Ivy-Ampelopsis Veitchii

Box-Buyus Broom-Genista. Cytisus Buckeye-Æsculus Buckthorn-Rhamnus catharticus Bunch Pink-Dianthus barbatus Burning Bush-Euonymus Burnot Rose-Rosa Spinosissima Bush Honevsuckle-Lonicera Tartarica Butterfly Weed-Asclepias tuberosa Butternut-Juglans cinerea Buttonwood-Platanus Calico Bush-Kalmia latifolia California Privet-Ligustrum ovalifolium Candvtuft-Iberis Canterbury Bells-Campanula Cardinal Flower-Lobelia cardinalis Carolina Allspice-Calycanthus Cedar, Red-Juniperus Virginiana Chamomile-Anthemis tinctoria Cherry flowering-Prunus

Chestnut, sweet—Castanea sativa Americana Chinquapin-Castanea pumila Cockspur-Cratægus Crus-galli Coffee Tree-Gymnocladus Canadensis Colored Daisy-Pyrethrum Columbine-Aquilegia Cone Flower-Rudbeckia Coral Berry-Symphoricarpus vulgaris Corchorus-Kerria Japonica Cornel-Cornus Cornelian Cherry-Cornus Mas. Cottonwood-Populus Cowslip-Primula officinalis Crab Appple, Flowering-Pyrus Cranberry Tree-Viburnum opulus Currant, Missouri-Ribes aureum Cucumber Tree-Magnolia accuminata Cypress-Taxodium distichum Day Lily-Funkia subcordata, Hemerocallis. Lilium candidum Dogwood-Cornus Douglas Spruce-Pseudotsuga Douglasii Dropwort-Spiræa Filipendula

Dutchman's Breeches-Dicentra specta-

Dutchman's Pipe-Aristolochia Sipho

Dver's Weed-Genista tinctoria

Eglantine-Rosa rubiginosa

bilis

Elder-Sambucus Elm-Ulmus Evening Primrose-Oenothera Fever Bush-Lindera Benzoin Fir-Abies. Picea Flake Brush-Clethra alnifolia. Flower-de-Luce-Iris Germanica Forget-me-not-Myosotis Foxglove-Digitalis Fringe Tree-Chionanthus. Rhus cotinus Hop Hornbeam-Carpinus betulus Gas plant-Dictamnus Goats Beard-Spiræa Aruncus Gold dust-Alyssum Saxatile Golden Bell-Forsythia Golden Chain-Laburnum vulgare Golden Glow-Rudbeckia Golden-rod-Solidago Grass, ornamental—Erianthus Ravennæ Greenweed-Genista tinctoria Ground Laurel-Epigæa repens Groundnut-Apios tuberosa Groundsel-Baccharis halimifolia Hackberry-Celtis occidentalis Hackmatack-Larix Americana Hardhack-Spiræa tomentosa Harebell-Campanula Haw-Cratægus Hawkweed-Hieracium Hawthorn—Cratægus Heartsease-Pansy. Violet

Hemlock Spruce-Tsuga Canadensis Hercules Club-Aralia spinosa Hickory-Carva High Bush Cranberry-Viburnum opulus Hobble Bush-Viburnum lantana Holly-Ilex opaca Hollyhock-Althea rosea Honey suckle-Lonicera Hop Tree-Ptelea Horse Chestnut—Æsculus Huckleberry-Vaccinium Indian Currant-Symphoricarpus vulgaris Ink Berry—Ilex glabra Iron Weed-Vernonia Novaboracensis Ivy-Ampelopsis Veitchii Japanese Privet-Ligustrum ovalifolium L. Ibota Japanese Rose-Kerria Japonica. Rosa rugosa. Rosa multiflora Jessamine-Jasminum nudiflorum Judus Tree—Cercis June berry-Amelanchier Canadensis Juniper-Juniperus Kansas Gay Feather-Liatris pycnostachva Kentucky Coffee Tree-Gymnocladus Kinnikinic—Cornus sericea

Larch-Larix Larkspur-Delphinium Laurel-Kalmia. Ilex glabra Laurel. Wild-Rhododendron Leatherwood—Dirca palustris Lilac-Syringa Lily-of-the-Valley-Convallaria majalis Linden-Tilia Locust-Robinia Lombardy Poplar-Populus London Pride-Lychnis Chalcedonica Loosestrife-Lysimachia Lungwort-Mertensia Virginica Lupine-Lupinus Maidenhair Tree-Ginkgo biloba Mallow-Hibiscus Man-of-the-Earth-Ipomoea pandurata Maple-Acer Matrimony Vine-Lycium vulgare Mayflower-Epigæa repens Meadowsweet-Spiræa Memorial Rose-Rosa Wichuriana Many-flowered Rose-Rosa Multiflora Michaelmas Daisy-Aster Novæ Angliæ Pignut-Carya porcina Milkweed-Asclepias tuberosa Mist Bush-Rhus cotinus Mock Orange-Philadelphus coronarius Moneywort-Lysimachia nummularia Moonflower-Ipomoea pandurata Moonseed-Menispermum

Moosewood-Acer Pennsylvanicum (Striatum) Morning Glory-Ipomoea pandurata Mountain Ash-Pyrus Americana. Pvrus Aucuparia Mountain Laurel-Kalmia latifolia Myrtle-Vinca minor New Jersey Tea-Ceanothus Americanus Nine-bark-Physocarpus opulifolia Oak-Quercus Olive, Bohemian-Eleagnus hortensis Osier-Cornus stolonifera. Salix Ox Eve Daisy-Pyrethrum uliginosum Pansy-Viola Partridge Berry-Mitchella repens Pea-Lathyrus Pearl Bush-Exochorda grandiflora Pear Japan-Pyrus Japonica Pea Tree-Caragana arborescens Pepper Bush-Clethra alnifolia Pepperidge—Nyssa Periwinkle-Vinca minor Pie Plant—Rhubarb Pine—Pinus Plane Tree—Platanus Pleurisy Root-Asclepias tuberosa Plum, Purple leaved—Prunus Polyanthus-Primula Poplar-Populus. Liriodendron

Poppy-Papaver Prairie Rose-Rosa Setigera Prim-Ligustrum Primrose-Primula. Privet-Ligustrum Quince, Japanese-Pyrus Japonica Ramanas Rose-Rosa Rugosa Raspberry, flowering-Rubus odoratus Redbud-Cercis Canadensis Red Cedar-Juniperus Virginiana Retinospora-Chamæcyparis Rose Bay-Rhododendron Rose Mallow-Hibiscus Moscheutos Rose of China-Hibiscus Syriacus Rose of Sharon-Hibiscus Syriacus Sea Buckthorn-Hippophae rhamnoides Service Berry-Amelanchier Canadensis Scotch Broom-Cytisus scoparius Scotch Rose-Rosa Spinosissima Shad Bush-Amelanchier Canadensis Shagbark-Carya alba Sheepberry-Viburnum lentago Siberian Pea-Caragana arborescens Silver Bell Tree-Halesia tetraptera Smoke Tree-Rhus cotinus Snowball-Viburnum plicatum. Viburnum opulus sterilis Snowberry-Symphoricarpus racemosus Solomon Seal-Polygonatum Sour Gum Tree-Nyssa sylvatica

Spanish Bayonet-Yucca filamentosa Spice Bush-Lindera Benzoin Spindle Tree-Euonymus Spoonwood-Kalmia latifolia Spruce-Picea. Abies Squaw berry-Mitchella repens Staff Tree-Celastrus Starwort-Aster Novæ Angliæ St. Bruno Lily-Anthericum liliastrum St. John's Wort-Hypericum St. Peter's Wreath-Spiræa Van Houttei Strawberry Bush—Calycanthus Strawberry Tree-Euonymus Sumac-Rhus Sunflower—Helianthus Swamp Pink-Azalea Viscosum Rose—Hibiscus Swamp Moscheutos. Rosa Carolina Sweetbrier-Rosa rubiginosa Sweet Fern-Myrica asplenifolia Sweet Gum-Liquidambar Sweet Scented Shrub-Calycanthus

Sweet Williams-Dianthus barbatus Sycamore Maple-Acer Pseudo-Plata nus Syringa-Philadelphus Tacamahack-Populus balsamifera Tamarack-Larix Americana Tartarian Honevsuckle-Lonicera Thrift—Armeria Tick Trefoil—Desmodium Trailing Arbutus-Epigæa repens Tree Huneysuckle-Lonicera Trumpet Creeper-Bignonia radicans Tulip Tree-Liriodendron tulipifera Tupelo-Nyssa Umbrella Tree-Magnolia (Umbrella) tripetala Varnish Tree-Koelreuteria paniculata Venetian Sumac-Rhus cotinus Violet-Viola Virginia Creeper—Ampelopsis quinque folia Virgin's Bower-Clematis Virginiana

Wahlenbergia—Platycodon Walnut-Juglans. Carva Water Beech-Carpinus Wax Myrtle-Myrica cerifera Waxwork-Celastrus scandens Wayfaring Tree-Viburnum Lantana Weigela-Diervilla Whin-Genista tinctoria White Thorn—Cratægus Whitewood-Liriodendron tulipifera Wild Pear-Amelanchier Canadensis Wild Rose—Rosa lucida Willow-Salix Winter Berry-Ilex verticillata Witch or Wych Hazel-Hamamelis Vir giniana Withe-rod-Viburnum cassinoides Woad-Waxen-Genista tinctoria Woodbine-Ampelopsis quinquefolia Yellow-wood-Cladrastis Yew—Taxus

Deciduous Trees and Shrubs.

| | Each | Ten 100 |) | | Each | Ten | 100 |
|---|-------|-------------|----|---|------------|---------------------|---------|
| ACER campestre 3 to 4 ft. \$ | .35 | \$3.00 \$ | | AMELANCHIER Canadensis, shad | | | |
| — dasycarpum, Silver Maple 6 to 8 ft. | .25 | 2.00 | | bush 2 to 3 ft. | \$.25 | \$2.25 | \$20.00 |
| — — Weirs Cut-leaved Maple | | | | ANDROMEDA arborea2 to 3 ft. | .35 | | |
| 6 to 8 ft. | .50 | 4.00 | | — Japonica 1 ft. | 1.00 | 8.00 | |
| palmatum, Japanese Maple 5 to 7 ft. | .50 | 4.00 | | — racemosa | .25 | 1.50 | |
| — atropurpureum 18 to 24 in. | .50 | 4.00 | | — Mariana | .35 | | |
| — Pennsylvanicum, striped bark | | | | APPLE, flowering. See Pyrus. | | | |
| 4 to 5 ft. | .50 | 4.00 | | ARALIA spinosa, Hercules Club | | | |
| — platinoides, Norway Maple | | | | 3 to 4 ft. | .35 | 3.00 | |
| | 1.00 | 7.50 - 60.0 | 00 | — pentaphylla 2 to 3 ft. | .25 | 2.25 | |
| — — var. Schwedleri 5 to 6 ft. | .50 | 4.00 | | ASH. See Fraxinus. | | | |
| Pseudo-Platanus. Sycamore or | | | | — Mountain. See Pyrus. | - | | |
| 1 | 1.00 | 7.50 | | AZALEA arborescens | .50 | 4.00 | |
| — — atropurpurea6 to 8 ft. | .50 | 4.00 | | — calendulacea, orange | .50 | 5.00 | |
| saccharinum, Sugar or Rock Maple | | | | — mollis | .50 | 4.50 | 40.00 |
| | 1.00 | 7.50 | | — nudiflora | .50 | 4.00 | |
| - Tartaricum var. Ginnala 8 to 10 ft. | .75 | 6.00 | | — pontica, Ghent hybrids, in ten | | | |
| The superb maple, Acer Tataricum Gin | | | | named varieties, net | .60 | 6.00 | |
| showy of all the autumn maples, with | | | | — Vaseyi, delicate rose | .50 | 4.50 | |
| foliage of the most brilliant scarlet. It is | s mu | ch earlier | to | - viscosum | .50 | 4.00 | |
| turn than any other maple. Extra. Fir | ie in | masses. | | Azaiea mollis, from Japan, is perfectly | | | |
| ÆSCULUS. Hippocastaneum, Horse- | | | | of the finest plants of recent introduction | m. | | lowers |
| | 1.00 | 8.00 | | are of a rich orange, others are brilliant | ed, ve | ry lar | ge and |
| to 6 ft. | .75 | 6.00 | | abundant. This is now largely planted | | | be in |
| - marcrostachya. Dwarf Pavia | | | | every garden. Red and yellow separate | this | year. | |
| 2 to 3 ft. | .75 | 6.00 | | BACCHARIS halimifolia, late white | 0.5 | 0.05 | 00.00 |
| - rubicunda. Scarlet Horse Chestnut | 7 00 | | | bloom 3 to 4 ft. | .25 | 2.25 | 20.00 |
| | 1.00 | 7.50 | | BAYBERRY. See Myrica. | | | |
| ALDER, black. See Ilex. | | 0.00 | | BEACH PLUM. See Prunus maritima. | | | |
| ALMOND, double white2 to 3 ft. | .35 | 3.00 | | BEECH. See Fagus. | | | |
| — double rose | .35 | 3.00 | | BERBERIS Thunbergii, Japanese Bar- | 7 5 | 1 50 | 8.00 |
| ALNUS Incana, Speckled Alder | 05 | 0.05 00 | 00 | berry, light plants 12 in. | .15 .25 | $\frac{1.50}{1.75}$ | 10.00 |
| 4 to 5 ft. | .25 | 2.25 20.0 | UU | 18 to 24 in. | .25 | 1.50 | 10.00 |
| ALTHEA. See Hibiscus. | | | | - vulgaris, Common Barberry 2 to 3 ft. | .20 | 1.00 | 10.00 |

| BERBERIS vulgaris var. purpurea, Purple leaved Barberry | Each | Ten | 100 | CHERRY. See Prunus. CHESTNUT. See Castanca. | Each | Ten | 100 |
|--|---------------------|---------------------|------------------|--|-------------------|----------------------|-----------------------|
| 2 to 3 ft. BETULA alba, Scotch Birch, 3 to 4 ft. | \$.25 .25 .35 | | \$10.00 15.00 | CHIONATHUS Virginica, White fringe | \$.35 | \$3.00 | * |
| ing Birch 5 to 6 ft. — lutea, Yellow Birch 3 to 4 ft. — nigra, Red Birch 5 to 6 ft. | .50 .25 .50 | 4.00 2.25 4.00 | | CLADRASTIS tinctoria, Yellow Wood 5 to 6 ft. CLEMATIS. See Vines. | .50 | 4.00 | |
| — papyrifera, Canoe Birch 5 to 6 ft. BOHEMIAN OLIVE. See Eleagnus. | .35 | 3.00 | 20.00 | CLETHRA alnifolia, Sweet Pepper Bush, fragrant 2 to 3 ft. CORCHORUS. See Kerria. | .15 | 1.25 | 10.00 |
| BROOM. See Cytisus. BUCKTHORN. See Rhamnus. | | | | CORNUS alternifolia 2 to 3 ft. — florida, Flowering Dogwood | .25 | 2.25 | |
| CALYCANTHUS floridus, Sweet scented shrub 2 to 3 ft. CARAGANA arborescens, Siberian Pea | .25 | 2.25 | | 3 to 4 ft. 2 to 3 ftrubra 3 to 4 ft. | .30 .25 .75 | 2.50 2.25 6.00 | 15.00 |
| Tree | .25 | 1.50 | | — Mas. Cornelian Cherry 2 to 3 ft. — paniculata 3 ft. | .25 .25 | $\frac{2.25}{2.25}$ | $15.00 \\ 15.00$ |
| beam | .50 | 1.50 | 10.00 | - sanguinea 2 to 3 ft. - sericea, Silky Cornel 2 to 3 ft. - stolonifera 2 to 3 ft. | .25 .25 .25 | 2.25 2.25 2.25 | 15.00 15.00 15.00 |
| — amara, Bitternut | .50 .25 | 2.25 | | —— var. Siberica, Red Osier 2 to 3 ft. The last four have bright red bark. | .25 | | 15.00 |
| Spirea15 to 20 in. CASTANEA pumila, Chinquapin | .25 .25 | $\frac{1.50}{2.50}$ | 10.00 | the brightest red of any Cornus. Cornus flaviramea, bright yellow 2 to 3 ft. | .25 | 2.25 | |
| - sativa, var. Americana, American Sweet Chestnut 4 to 5 ft. CATALPA speciosa 4 to 5 ft. | .25 .25 | 2.25 2.25 | 20.00 | COTONEASTER Simonsii, scarlet berries 3 to 4 ft. | .25 | 2.25 | |
| —— | .50 | 4.00 | 15.00 | CRATÆGUS mollis | .15 | 1.00 4.50 | |
| sey Tea 18 to 24 in. CELTIS occidentalis, Hackberry 6 to 8 ft. | .25 | 2.25 4.00 | 15.00 | —————————————————————————————————————— | .50 .50 | 4.50 4.50 | |
| CERCIDIPHYLLUM Japonicum 4 to 6 ft. | .75 | | | CURRANT. See Ribes. CYPRESS Deciduous. See Taxodium. | .15 | 1.25 | |
| CERCIS Canadensis, Judas Tree or Red Bud4 to 5 ft. | .25 | 2.25 | 20.00 | CYTISUS capitatus | .25 | 2.25 | 15.00 |

| | Each | Ten | 100 | Each Ten 100 |
|--|---------------------|--------|-------|--|
| DESMODIUM penduliflorum, late, | | | | FORSYTHIA Fortunei 3 to 4 ft. \$.25 \$2.25 \$15.00 |
| mass of purple pea-shaped | | | | — intermedia, hardiest 3 to 4 ft25 2.25 15.00 |
| flowers | \$.25 | \$2.25 | \$ | suspensa or weeping3 to 4 ft25 2.25 15.00 |
| DEUTZIA gracilis 18 to 24 in. | .25 | 2.25 | 10.00 | — viridissima |
| — — rosea 24 in. | .25 | 2.25 | 10.00 | These are all the so-called Golden Bells. Yellow flowers, |
| — parviflora 2 to 3 ft. | .25 | 2.25 | | early in the spring, before the foliage. |
| — scabra double white 2 to 3 ft. | .25 | 2.25 | 10.00 | FRAXINUS Americana, American Ash |
| — — double rose 2 to 3 ft. | .25 | 2.25 | 10.00 | 19 to 12 ft. 1.00 9.00 |
| — — Fortune's New White (single) | | | | — pubescens |
| 2 to 3 ft. | .25 | 2.25 | 10.00 | For other varieties sometimes called Ash, see Pyrus. |
| Pride of Rochester, double white | | | | FRINGE TREE. See Chionanthus and Rhus. |
| tinted with rose 2 to 3 ft. | .25 | 2.25 | 10.00 | GENISTA TINCTORIA, Woadwaxen |
| DIERVILLA florida, Weigela rosea | | | | Salem or Beverly Broom |
| 2 to 3 ft. | .25 | 2.25 | | 2 to 3 ft15 1.25 |
| —— amabalis | .25 | 2.25 | | GINKGO BILOBA, Salisburia 4 to 5 ft50 4.00 |
| —— candida 2 to 3 ft. | .25 | 2.25 | 15.00 | GYMNOCLADUS Canadensis, Kentucky |
| — — variegata 2 to 3 ft. | .25 | 2.25 | | Coffee Tree 5 to 7 ft25 2.25 |
| DIRCA palustris 1 ft. | .50 | 4.00 | | HACKBERRY. See Celtis. |
| DOGWOOD. See Cornus. | | | | HALESIA tetraptera, Silver Bell |
| ELÆAGNUS hortensis, Bohemian | | | | 4 to 5 ft35 3.00 |
| Olive 2 to 3 ft. | .25 | | 20.00 | HAMAMELIS Virginiana, Witch-hazel |
| — longipes, fine fruit, edible, 2 to 3 ft. | .25 | 2.25 | | 3 to 4 ft25 2.25 15.00 |
| ELDERBERRY. See Sambucus. | | | | HAWTHORN. See Cratægus. |
| ELM. See Ulmus. | | | | HIBISCUS Syriacus, Althæa, double |
| EUONYMUS Europæus. Burning | | | | named sorts2 to 4 ft25 2.25 20.00 |
| Bush 3 to 5 ft. | .25 | 2.25 | | —————————————————————————————————————— |
| - Japonicus, var, radicans viridis, | .20 | 2.20 | | The following varieties, selected as the best for New Eng- |
| 3 years | .25 | 2.25 | 15.00 | land from very many varieties. |
| — Bungeanus | .25 | 2.25 | 20100 | Amplissima, dble, rose. |
| EXOCHORDA grandiflora, Pearl Bush | | | | Boule de Feu, dble. red. |
| 2 to 3 ft. | .25 | 2.25 | | Carneus plenus, semi dble., rose |
| | .20 | 2.20 | | Cœlestis, single blue. Elegantissima, semi dble., white |
| FAGUS sylvatica, European Beech | 1.00 | | | Grandiflora superba, dble. rosy, white |
| 8 to 12 ft. | $\frac{1.00}{1.00}$ | | | Lady Stanley, semi dble., pink |
| var. Fern-leaved 3 to 4 ft. | .60 | 5.00 | | Monstrosa, dble., white |
| Purple-leaved seedlings 4 to 5 ft. | 1.00 | 9.00 | | Rubis, single, deep red |
| ——Purple-leaved, River's3 to 4 ft. | 1.00 | 9.00 | | Totus albus, single white |
| — Sylvatica, Weeping 4 to 5 ft. | 1,00 | 0.00 | | Total alous, single march |

| | | m | 7.00 | 1) 1 00 100 |
|--|------------|---------------------|---------|---|
| HICKORY Cas Carra | Each | Ten | 100 | Each Ten 100 LIGUSTRUM Regelianum. 2 to 3 ft. \$.25 \$1.25 \$8.00 |
| HICKORY. See Carya. | | | | |
| HIPPOPHÆ, rhamnoides, Sea-Buck- | Φ 0= | φο ο π | 017.00 | |
| thorn | \$.20 | \$2,20 | \$15.00 | All the Ligustrums make first-class hedges. L. Ibota. |
| HOP-TREE. See Ptelea. | | | | amurense and Regelianum are hardier than L. ovalifolium. |
| HORNBEAM. See Carpinus. | | | | LILAC. See Syringa. LINDEN. See Tilia. |
| HORSE-CHESTNUT. See Æsculus. | | | | |
| HYDRANGEA arborescens 2 to 3 ft. | 95 | 2.25 | | LINDERA Benzoin, Spice Bush 2 to 3 ft |
| | .25 .25 | $\frac{2.25}{2.25}$ | 20.00 | LIQUIDAMBAR Styraciflua, Sweet |
| — paniculata | .25 | $\frac{2.25}{2.25}$ | 20.00 | Gum |
| HYPERICUM aureum, large yellow | .20 | 4,20 | 20.00 | LIRIODENDRON Tulipifera, Tulip |
| flowers 2 to 3 ft. | .30 | 2.50 | 20.00 | tree |
| - prolificum, St. John's-Wort 2 to 3 ft. | .25 | 2.25 | 15.00 | LOCUST. See Robinia. |
| ILEX glabra 10 to 12 in. | .25 | 2.25 | 15.00 | LOMBARDY POPLAR. See Populus. |
| - verticillata, Clumps 3 to 4 ft. | 1.00 | | | LONICERA. See Vines. |
| — — Black Alder 12 to 18 in. | .25 | 2.25 | | LONICERA. Alberti |
| INDIAN CURRANT. See Symphorican | pus. | | | — Bella albida 2 to 3 ft |
| JAPANESE PEAR. See Pyrus. | - | | | — atrorosea 2 to 3 ft 2.25 |
| JASMINUM nudiflorum 12 to 18 in | .25 | 2.25 | 15.00 | - Bella candida |
| JUDAS TREE. See Cercis. | | | | — Korolkowii |
| JUGLANS cinerea, butternut 6 to 7 ft. | .35 | 3.00 | | — fragrantissima 2 to 3 ft25 2.25 |
| — nigra, Black walnut 5 to 6 ft. | .35 | 3.00 | | - Morrowi |
| KALMIA. See Evergreen shrubs. | | | | — Ruprectiana 3 to 4 ft |
| KERRIA Japonica (Corchorus), single | | | | — Tartarica, pink variety 2 to 3 ft25 2.25 |
| yellow 2 to 3 ft. | .25 | 2.25 | | The above are the best varieties of the Tree or Tartari- |
| — — Variegata 18 to 24 in. | .25 | 2.25 | 15.00 | an Honeysuckle. |
| — — double yellow 2 to 3 ft. | .25 | 2.25 | | MAGNOLIA accuminata, Cucumber |
| KOELREUTERIA paniculata 7 to 8 ft. | .50 | 4.00 | | Tree |
| LABURNUM vulgare5 to 6 ft. | 50. | 4.50 | | - Soulangeana (net) 3 ft. 1.00 |
| LARIX Europæa | 25. | 2.25 | | — speciosa (net) 3 ft. 1.00 |
| LESPEDEZA Sieboldiana, Desmodium | | | | - stellata (Haleana) (net) 1 to 2 ft. 1.00 |
| penduliflorum2 to 3 ft. | 25. | 2.25 | | - Umbrella (tripetala)3 to 4 ft50 4.50 |
| LIGUSTRUM, amurense 18 to 24 in. | .15 | 1.25 | 10.00 | MORUS, mulberry Downing 5 to 6 ft50 4.00 |
| - Ibota, New Japan Privet 2 to 3 ft. | .15 | 1.00 | 8.00 | MYRICA asplenifolia, Sweet fern |
| 3 to 4 ft. | .25 | 1.25 | 10.00 | 1 to 2 ft25 2.25 — cerifera. Bayberry 2 to 3 ft25 2.25 |
| — ovalifolium, California Privet | 10 | 1.00 | F 00 | |
| 18 to 24 in. | .10 | 1.00 | 5.00 | 2, 2, 0, 0, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, |
| 2 to 3 ft, | 15, | 1.00 | 6.00 | OAK. See Quercus, |

| | Each | \mathbf{T} en | 100 | | Each | Ten | 100 |
|--|------------|---------------------|---------------|---|------|--------|-------|
| PAVIA. See Æsculus. | | | | PTELEA trifoliata var. aurea, Golden | | | |
| PHILADELPHUS aureus 15 to 18 in. | \$.25 | \$2.25 | \$ | Leaves | | \$3.00 | \$ |
| PHILADELPHUS coronarius, Mock | 0= | 0.05 | 15.00 | PTEROSTYRAX hispida . 6 to 7 ft. | 1.00 | | |
| Orange, Syringa 3 to 4 ft. | .25 .25 | $\frac{2.25}{2.25}$ | 15.00 15.06 | PYRUS Americana, American Moun- | 9.7 | 2.00 | |
| — grandiflorus 3 to 4 ft. | .25 | 2.25 | 19.00 | tain Ash 3 to 4 ft. | .35 | 3.00 | |
| — speciosissimus 3 to 4 ft. PHYSOCARPUS opulifolia 4 to 5 ft. | .25 | 2.25 | | — Aucuparia, European Mountain Ash 8 to 10 ft. | .35 | 3.00 | |
| —— aurea, Spiræa, golden leaved | .20 | 2.29 | | — arbutifolia, red fruited, Choke- | .00 | 5.00 | |
| = aurea, spiraea, goiden leaved 3 to 4 ft. | .25 | 2.25 | | berry 12 to 20 in. | .25 | 2,25 | |
| PLATANUS occidentalis, American | .20 | 2.20 | | — var. melanocarpa, Chokeberry | .20) | 2,20 | |
| Plane Tree 6 to 7 ft. | .25 | 2.25 | | 2 to 3 ft. | .25 | 2.25 | 15.00 |
| | .2., | 2.20 | | — Japanese flowering apples in the | , | , | 10.00 |
| POPULUS balsamifera, var. candicans, Balm of Gilead | | | | following varities. 3 to 4 ft. | .50 | 4.50 | |
| 10 to 12 ft. | .50 | | | spectabile, double white | | | |
| — monilifera, Carolina Poplar | .00 | | | — — double rose | | | |
| 6 to 8 ft. | .25 | 2.25 | | — coronaria | | | |
| 12 to 15 ft. | .50 | 2,2., | | — fioribunda, rose tinted | | | |
| — nigra var. Italica, Lombardy Pop- | • | | | — — Betchel's Crab, dble. rose | | | |
| lar 5 to 7 ft. | .25 | 2.25 | 15.00 | — — atrosanguinea, red | | | |
| 8 to 10 ft. | .50 | 4.50 | | — — Parkmani, deep red, semi | | | |
| PRIVET OR PRIM. See Ligustrum. | | | | double — Toringo pink | | | |
| PRUNUS Americana 5 to 7 ft. | .35 | 3.00 | | — Scheideckeri light pink | | | |
| - avium. Double white Flowering | | | | — Niedwitskiana deep rose | | | |
| Cherry 5 to 6 ft. | .50 | 4.50 | | Smaller plants of above | .30 | | |
| — — — rose — —4 to 5 ft. | .50 | 4.50 | | - Japonica Japan Pear or Quince, | | | |
| Japonica, Double White Flowering | | | | mixed sorts 3 to 4 ft. | .25 | 2.25 | 15.00 |
| Almond 2 to 3 ft. | .35 | 3.00 | | — — — — — white | .25 | 2.25 | 20.09 |
| — — — rose — — 2 to 3 ft. | .35 | 3.00 | | — Japonica, Maulei 2 ft. | .25 | 2.25 | 20.00 |
| - maritima 2 to 3 ft. | .25 | 2.25 | 20.00 | — — Pigmæa dwf. | .50 | | |
| — pendula Rose-flowered Weeping | | | | umbilicata rosea | .25 | 2.25 | 20.00 |
| Japan Cherry, dwarfs 4 to 5 ft. | 1.25 | | | — sambucifolia, Elder-leaved Moun- | | | |
| - Pissardi, Purple leaved | 0.5 | 0.00 | | tain Ash 4 to 5 ft. | .25 | 2.25 | 15.00 |
| plum 5 to 6 ft. | .35 | 3.00 | | QUERCUS coccinea, Scarlet Oak | | | |
| - Pseudo-Cerasus 3 to 4 ft. | .50 | 4.00 | | 4 to 5 ft. | .30 | 2.50 | |
| - triloba fl. pl. Double Flowering | .35 | 3.00 | | — palustris, Pin Oak | 1.00 | | |
| Japanese Plum 2 to 3 ft. | | | | 1½ to 2 in cal. 8 to 10 ft. | 1.00 | E 00 | 45.00 |
| PTELEA trifoliata, Hop tree 5 to 6 ft. | .25 | 2,25 | | | .60 | 9,00 | 45,00 |

| | Each | Ten | 100 | | Each | Ten | 100 |
|---------------------------------------|--------|--------|--------|------------------------------------|------|--------|-------|
| QUERCUS prinos | \$.75 | \$6.00 | \$ | RHUS Cotinus, Smoke Tree (Purple | | | |
| — rubra, Red Oak 8 to 10 ft. | 1.00 | 8.00 | | Fringe) | 8 35 | \$3.00 | * |
| 6 to 8 ft. | 75. | 6.00 | | glabra, Smooth Sumae 2 to 3 ft. | .25 | 2.25 | 15.00 |
| RHAMNUS catharticus, Buckthorn | | | | -glabra var. laciniata, Cut-leaved | | | |
| 1 to 2 ft. | | -5.00 | | Sumae 2 to 3 ft. | .25 | 2.25 | |
| — frangula 2 to 3 ft. | .15 | 1.25 | 10.00 | — Osbeckii 3 to 4 ft. | .35 | 3.00 | |
| RHODODENDRON. See Ever- | | | | — typhina, Stags Horn Sumac | | | |
| green Shrubs. | | | | 3 to 4 ft. | .25 | 2.25 | 15.00 |
| RHODOTYPOS kerrioides, white | | | | — — 8 to 10 ft. | .50 | 4.00 | |
| flowers and fine foliage | 0.7 | 0.05 | 7 = 00 | RIBES aureum, Missouri Currant | | | |
| 3 to 4 ft. | .25 | 2.25 | 15.00 | 3 to 4 ft. | .25 | 2.25 | |
| RHUS Canadensis, aromatica 2 to 3 ft. | 25 | 0.05 | | | | 2120 | |
| | .25 | 2.25 | | ROBINIA hispida, Rose Acacia | 0.7 | 0.05 | |
| — copallina, Dwarf Sumac2 to 3 ft. | .25 | 2.25 | | (Locust) 2 to 3 ft. | .25 | 2.25 | |
| | | | | | | | |

Roses.

WILD ROSES, ALL SINGLE.

| ROSA blanda, bright rose, thornless | ROSA multiflora, large clusters of | Each | Ten | 100 |
|--|---|--------|-----------|-------|
| 2 to 3 ft. \$.15 \$1.25 \$10.00 | small white flowers 2 to 3 ft. | \$.25 | \$2.25 \$ | 15.00 |
| — Carolina, tall wild 2 to 3 ft25 2.25 10.00 | rubrifolia, red foliage, 2 to 3 ft. rubiginosa, Sweet Briar or Eg- | .25 | 2.25 | |
| — lucida, common Wild Rose 2 to 3 ft 1.25 10.30 | lantine (true)3 to 4 ft. — setigera, single Prairie Rose. | .25 | 2.25 | |
| — lucida alba, new single white rose 15 to 18 in25 2.25 20.00 | nothing better3 to 4 ft. spinossisima, Scotch | .25 | 2.25 | 20.00 |
| This is supposed to be a sport from R. lucida. The stems bright yellow; bloom, pure white and very profuse, covered later with bright red berries. It is as hardy as R. lucida and far more beautiful. | Rose, | .50 | 4.50 | |
| — nitida, bright pink18 in25 2.25 | glossy foliage2 to 3 ft. | .25 | 2.25 | 20.00 |

ROSA RUGOSA

| The Rosa rugosa and varieties | are e | specially de | sirable for the good foliage. Insects do not attack them. |
|--|---------|---------------------|---|
| | Each | | Each Ten 100 |
| ROSA rugosa rubra, Crimson | | | ROSA rugosa Mme. Geo. Bruant, |
| 18 to 24 in. | \$.25 | \$2.25 \$20.0 | semi-double white, 18 to 24 in. \$.25 \$2.25 \$ |
| — — alba white18 to 24 in. | .25 | 2.25 20.0 | Mme. Plantier |
| | | | |
| The state of the s | | CLIMBIN | G ROSES |
| | Each | Ten 100 | Each Ten 100 |
| Baltimore Belle, white 3 to 4 ft. | \$.25 | \$2.25 \$ | Seven Sisters, white to |
| Crimson Rambler, crimson | | | crimson 2 to 3 ft. \$.25 \$2.25 \$ |
| clusters | .25 | 2.25 20.0 | |
| Dorothy Perkins, pink double 2 to 3 ft. | 25 | $2.25 	ext{ } 15.0$ | Wichuriana, white |
| | | | |

NEW RAMBLERS.

Each Ten 100

Strong field grown plants, 2 years.....\$.25 \$2.25 \$20.00

Dawson, rose pink Debutante, soft pink Lady Gay, cherry pink Setigera and Wichuriana, shell pink Sweetheart, pink in bud, soft white bloom W. C. Egan, white

Madam Norbert Levassasseur, Baby Rambler

HYBRID PERPETUAL ROSES

Hybrid Perpetual Roses: grafted low on a stock that does not start easily. Have found these far better than the same varieties on own roots. Well established field grown plants are offered. They should be planted deep in well enriched soil. Plant three or four inches above the graft. Cut back to six inches after planting.

The following selected varieties are offered at 25 cents each; \$2.25 per ten; \$20.00 per 100.

Abel Carriere, velvety crimson.
Alfred Colomb, carmine.
American Beauty, red.
Anna de Diesbach, pink.
Baron de Rothschild, light rose.
Br. de Bonstette, rich maroon.
Caroline Testout, satiny pink.
Celine Forestier, light yellow.

Coquette des Alpes, white. Captain Christy, delicate rose. Fisher Holmes, dark red. Frau Carl Druschki, white. Gen. Jacqueminot, dark red. General Washington, crimson. Gloire Lyonnaise, light yellow. Gruss aus Teplitz, scarlet. Harrison Yellow.
John Hopper, bright rose.
Jules Margottin, bright rose.
Kaiserin Augusta Victoria, white.
Killarney, soft rose.
La France, silvery rose.
La France, pink.
Liberty, rich crimson.

Magna Charta, pink.
Mme. Gabriel Luizet, soft rose.
Mme. Plantier.
Marchioness of Londonderry, white.
Margaret Dickson, white.
M. P. Wilder, carmine red.

Mrs. R. G. Sharman Crawford, pink. Mrs. John Laing, pink. Mrs. Charles Wood, crimson. Monsieur Boncenne, dark red. Paul Neyron, dark rose. Persian Yellow. P. C. de Rohan, deep crimson. Soleil d'Or, yellow. Ulrich Brunner, cherry red. Viscountess Folkestone, creamy white, tinted flesh.

MOSS ROSES

Strong field grown plants in following varieties: 25 cents each; \$2.25 per 10.

Blanche Robert, white, Crimson Globe. Henry Martin, red. Salet, pink.

| | Each | Ten | 100 | F. | ch Ten | 100 |
|------------------------------------|------------|--------------|--------|---|----------|-----------|
| RUBUS odoratus, Flowering | 20001 | 2011 | 100 | SAMBUCUS racemosa (pubens) red | CH ICH | 200 |
| Raspberry2 to 3 ft. | \$.25 | \$2.25 | \$ | | 5 \$2.25 | \$ |
| SALIX ALBA, White Willow, | , | · | т | | 0 | |
| 4 to 5 ft. | .25 | 2.25 | 15.00 | SHAD-BUSH. See Amelanchier. SILVER BELL TREE. See Halesia. | | |
| — — vitelina var. Britzensis, | | | | SMOKE TREE or Purple Fringe. See Rhu | Cotinue | , |
| golden bark, ends of | | | | SNOWBALL. See Viburnum. | Cotinus | ٠. |
| twigs are red6 to 8 ft. | .35 | 3.25 | 20.00 | SPIR.EA, Anthony Waterer 2 to 3 ft. \$ 3 | 5 00 05 | œ. |
| - Babylonica, Napoleon Weeping | ~ ~ | | 7 = 00 | | 5 1.00 | φ 6.00 |
| Willow | .25 | 2.25 | 15.00 | | 5 2.25 | 0.00 |
| - Babylonica, var. Wisconsin Weep- | .25 | 0.05 | 20.00 | | 5 2.25 | 15.00 |
| ing Willow | | | | | 5 2.25 | |
| caprea. Solomon's Palm, an excepti | | | mow, | | 5 2.25 | 20.00 |
| bark red. Large "pussies" in | Febru | | | - Japonica (Callosa), red. 2 to 3 ft. | 5 2.25 | 20.00 |
| and March | .25 .50 | 2.25 4.00 | | | 2,25 | 20.00 |
| - myrtifolia | .50 | 4.00 | • | — opulifolia See Physocarpus | | |
| rical form, more shrub than | | | | | 2.25 | |
| tree. A mass of white when | | | | | 2.25 | 15.00 |
| the "pussies" are out. | | | | | 2.25 | |
| — pentandra (laurifolia) Laurel- | | | | - Van Houttei, St. Peter's Wreath. | 17 0.07 | 10.00 |
| leaved Willow3 to 4 ft. | .15 | 1.50 | 10.00 | | 2.25 | 10.00 |
| 5 to 6 ft. | 25 | 2.25 | 15.00 | S. Van Houttei is almost always in bloom on Decoration Day. | | |
| SAMBUCUS Canadensis, Elderberry | | | | _ | 2.25 | 15.00 |
| 2 to 3 ft. | .25 | 2.25 | 15.00 | | | 19,00 |
| var. aurea, fine golden foliage | | | | 13 | 60 4.50 | |
| 2 to 3 ft. | .25 | 2.25 | 15.00 | SUMAX. See Rhus. | | |

| | Each | Ten | 100 | | Each | Ten | 100 |
|---|------|----------|---------|---|---------|--------|-------|
| SWEET FERN. See Myrica. | | | | TAXODIUM distichum, Southern Cy- | | | |
| SYMPHORICARPUS racemosa | | | | press 1 to 2 ft. | \$.25 | \$2.25 | \$ |
| Snowberry 2 to 3 ft. \$ | .25 | \$2.25 8 | \$10.09 | TILIA Americana, American Linden | | | |
| — vulgaris, Indian Currant. 2 to 3 ft. | .25 | 2.25 | 10.00 | 6 to 8 ft. | .35 | 3.00 | |
| SYRINGA, Lilacs. See also Philadelphus. | | | | 8 to 10 ft. | .50 | 4.50 | 30.00 |
| Japonica small tree, flowers white, | | | | This is one of the best trees for the sea | ishore. | | |
| 6 to 8 ft. | .50 | 4.50 | | — Europæa, European Linden | | | |
| Josikæa, delicate purple flowers, | | | | 5 to 6 ft. | .30 | 3.00 | 25.00 |
| 5 to 6 ft. | .50 | 4.50 | | $$ $1\frac{1}{2}$ to 2 in. caliper | 1.00 | 8.00 | |
| — Pekinensis 3 to 4 ft. | .50 | 4.50 | | TULIP TREE. See Liriodendron. | | | |
| - Perscia, Persian Lilac, purple | | | | ULMUS Americana, American Elm, | | | |
| 3 to 4 ft. | .25 | 2.25 | | 8 to 10 ft. | .50 | 4.50 | |
| — — Rothomagensis purple | | | | — campestre, English Elm 8 to 10 ft | 1.00 | 10.00 | |
| 3 to 4 ft. | .25 | 2.25 | | VIBURNUM acerifolium2 ft. | .35 | 3.00 | 25.00 |
| — — saugeana, purple3 to 4 ft. | .25 | 2.25 | | — cassinoides, Withe-rod2 to 3 ft. | .35 | 3.00 | 25.00 |
| alba, light3 to 4 ft. | .25 | 2.25 | | — dentatum, Arrow wood2 to 3 ft. | .25 | 2.25 | 15.00 |
| — Villosa, pink 3 ft. | .50 | 4.50 | | — dilatatum, red berries2 to 3 ft. | .50 | 4.00 | |
| - vulgaris, Common Purple Lilac | | | | — Lantana4 to 5 ft. | .25 | 2.25 | 15.00 |
| 2 to 3 ft. | .25 | 2.25 | 15.00 | — lentago | .25 | 2.25 | |
| — vulgaris alba, Common White Lilac | | | | — molle 3 ft. up | .25 | 2.25 | 15.00 |
| 2 to 3 ft. | .25 | 2.25 | 15.00 | — Opulus, Tree Cranberry2 to 3 ft. | .25 | 2.25 | 15.00 |
| — — named varieties as follows, 4 | | | | — — sterilis, common Snowball | | | |
| year grafts 2 to 3 ft. | .50 | 4.50 | 40.00 | 2 to 3 ft. | .25 | 2.25 | |
| - Alba grandiflora, wt. single | | | | 4 to 5 ft. | .50 | 4.00 | |
| Bertha Dammann, wt. single | | | | — plicatum, Japan Snowball | | | |
| Lilarosa, pinkish, dble | | | | 2 to 3 ft. | .50 | 4.50 | |
| Louis Van Houttei, dark red, sing | | | | — tomentosum | .50 | 4.50 | |
| Michael Buckner, pale lilac, dble. | | | | — venosum 4 ft. | .25 | 2.25 | 15.00 |
| Marie Legraye, large wt. single | | | | VIRGILEA. See Cladrastis. | | | |
| Mme. Lemoine, dble. wt. | | | | WEIGELA. See Diervilla. | | | |
| Souvenir de L. Spathe, purple, si | | | | WILLOW. See Salix. | | | |
| TAMARIX Gallica2 to 3 ft. | .25 | 2.25 | 15.00 | | .25 | 2.25 | 15.00 |
| TARTARIAN HONEYSUCKLE. See | | | | XANTHORRHIZA apiifolia | | | |
| Lonicera | | | | YUCCA filamentosa, evergreen | .25 | 2.25 | 15.00 |

Hardy Evergreen Shrubs.

| | Each | Ten | 100 | Each Ten 100 |
|--------------------------------------|--------|--------|---------|--|
| ARCTOSTAPHYLOS Urva-Ursi, bear- | | | | LEUCOTHOE racemosa, deciduous |
| berry, trailing vine,2 years | \$.25 | \$2.25 | \$15.00 | 10 to 12 in. 8 .25 82.25 8 |
| BAMBUSA Metake (Arundinaria,) | | | | RHODODENDRON English Hybrids, |
| hardy bamboo | .25 | 2.25 | | in the hardiest varieties 1.50 15.00 150.00 |
| BUXUS sempervirens, pyramids, 3 ft. | 2.00 | | | Alba Elegans, white. Delicatissima, blush, |
| — — — | 1.00 | | | Alba granditlora, white. Everestianum, lilac. |
| — — standards, 2 ft. stem, 12 in. | | | | Atrosanguinea, red. Kettledrum, crimson. |
| crown | 2.00 | | | Caractacus, crimson. Lady Armstrong, rose, |
| - dwarf box, fine plants with | | | | Charles Dickens, scarlet. spotted. |
| ball | .30 | | 20.00 | — Mixed colors, seedlings 1 ft. 1.00 8.00 |
| — sufruticosa4 to 6 in. | .15 | 1.25 | 10.00 | — maximum |
| COTONEASTER Simonsii hardiest | | | | - maximum, well budded plants |
| sort | .25 | 2.25 | | 2 ft. and up 1.00 |
| EPIG.EA repens, Mayflower, collected | .25 | 2.25 | 15.00 | They are the best Rhododendrons procurable for New |
| Very hard to make this plant grow. | | | | England. The plants nice, bushy, well budded stock, from |
| EUNONYMUS Japonicus, var. radi- | | | | 18 in. to 3 ft., according to variety. The best variety of |
| cans Viridis | | 2.25 | 15.00 | colors. |
| ILEX opaca, Holly | 1.00 | 10.00 | | Use peat or leaf mould freely in planting. Water freely |
| KALMIA latifolia, Mountain Laurel. | | | | in July and August. In December mulch with about 1 ft. |
| 18 to 24 in. | .50 | 4.50 | | of leaves and protect with pine boughs. Do not take this |
| LEUCOTHOE Catesbæi (Andromeda) | ~0 | 4.50 | | covering off before the middle of April. Azaleas and Kal- |
| 1 to 2 ft. | .50 | 4.50 | | mias need the same treatment. |

Conifers.

| | Each | Ten | 100 | | Each | Ten | 100 |
|--------------------------------|--------|-------|-----|-------------------------------------|--------|------|-------|
| Abies concolor | \$3.00 | \$ \$ | ; | Juniperus Dahurica, with ball,4 ft. | \$1.00 | \$ | \$ |
| 3 to 4 ft. | 2.00 | | | 3 ft. | .75 | | |
| 2 to 3 ft. | 1.00 | | | Hibernica, Communis, | | | |
| Chamæcyparis. See Retinospora. | | | | 24 to 30 in. | .35 | 3.00 | 25.00 |
| Juniperus communis12 in. dia. | .35 | 3.00 | | 12 to 18 in. | .25 | 2.00 | |
| 8 to 12 in. dia. | .25 | 2.00 | | Sabina | .35 | 3.00 | |
| aurea12 to 24 in. dia. | .50 | 4.00 | | prostrata, large | .50 | | |
| 5 to 8 in. dia. | .35 | 3.00 | | 10 to 12 in. | | 3.00 | |

| Sinensis, a prostate Juniper, \$.50 \$ \$ Pseudotsuga Douglassi, with ball, 4 to 5 ft. 1.00 2 to 3 ft. .25 2.00 20.00 2 to 3 ft. .25 2.00 20.00 2 to 3 ft. .25 2.00 20.00 2 to 3 ft. .75 6.00 2 to 3 ft. .50 2 |
|---|
| A to 5 ft. 1.00 2 to 3 ft. 2.5 2.00 20.00 2 to 3 ft. 75 6.00 |
| 2 to 3 ft. 25 2.00 20.00 2 to 3 ft. 7.5 6.00 12 to 18 in. 1.50 12.00 Retinospora pisifera 12 to 15 in. 25 2.00 2 to 3 ft. 5.0 15.00 aurea 3 to 4 ft. 1.00 2 to 3 ft. 30 2.50 10 to 12 in. 25 2.00 2 to 3 ft. 30 2.50 10 to 12 in. 25 2.00 2 to 18 in. 1.50 10.00 plumosa 3 to 4 ft. 1.00 8.00 12 to 18 in. 1.50 10.00 aurea 3 to 4 ft. 1.00 8.00 10 to 12 in. 1.25 10.00 aurea 3 to 4 ft. 1.00 8.00 10 to 12 in. 1.25 10.00 20 to 30 in. 75 6.00 10 to 12 in. 25 2.00 2 to 3 ft. 2.00 1.25 10.00 aurea 3 to 4 ft. 1.00 8.00 10 to 12 in. 25 2.00 20 to 30 in. 75 6.00 2 to 3 ft. 2.00 20 to 30 in. 50 4.00 3 to 4 ft. 2.00 2 to 3 ft. 1.00 8.00 3 to 4 ft. 2.00 2 to 3 ft. 1.00 8.00 3 to 5 ft. 1.00 8.00 Retinosporas, all with ball. |
| 12 to 18 in. .20 1.50 12.00 Retinospora pisifera 12 to 15 in. .25 2.00 Picea alba. .12 in. 1.50 10.00 aurea .3 to 4 ft. 1.00 excelsa .3 to 4 ft. .50 2.50 20 to 30 in. .50 2 to 3 ft. .30 2.50 10 to 12 in. .25 2.00 20 to 30 in. .25 2.00 15.00 plumosa .3 to 4 ft. 1.00 8.00 12 to 18 in. 1.50 10.00 12 to 15 in. .25 2.00 nigra, with ball. 3 to 5 ft. 2.00 2.00 20 to 30 in. .25 2.00 pungens, blue form, with ball, 1.25 10.00 aurea .3 to 4 ft. 1.00 8.00 pungens, blue form, with ball, 3 to 4 ft. 2.00 2 to 3 ft. 1.00 3 to 4 ft. 2.00 green form, with ball, 3 to 5 ft. 1.00 8.00 8.00 12 to 18 in. .25 2.00 Retinosporas, all with ball. 12 to 18 in. .25 2.00 2.00 2.00 2.00 |
| Picea alba |
| Picea alba |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| nigra, with ball 3 to 5 ft. 2.00 10 to 12 in. 1.25 10.00 20 to 30 in |
| $\begin{array}{c ccccccccccccccccccccccccccccccccccc$ |
| pungens, blue form, with ball, 3 to 4 ft. 2.00 2 to 3 ft. 1.00 green form, with ball, 3 to 5 ft. 1.00 8.00 Retinosporas, all with ball, |
| 3 to 4 ft. 2.00 10 to 12 in. 25 2.00 2 to 3 ft. 1.00 squarrosa |
| green form, with ball, squarrosa |
| green form, with ball, 3 to 5 ft. 1.00 8.00 Retinosporas, all with ball, |
| 3 to 5 ft. 1.00 8.00 Retinosporas, all with ball. |
| |
| |
| Koster blue, with ball, 2 ft. 2.00 Taxus cuspidata, with ball. 12 to 18 in. 1.25 |
| 15 in. 1.00 9.00 Taxus cuspidata, with ball. 12 to 11. 1.29 |
| Pinus Austriaca 10 to 12 in. 1.25 10.00 Thurs aggidantalis 3 ft 30 2.50 |
| 6 to 8 in. 1.00 8.00 Thuy a desidentials 10. 20 to 30 in. 25 2.00 15.00 |
| Banksiana 12 in. 1.25 10.00 12 to 18 in. 1.00 8.00 |
| mugho8 to 10 in. dia25 2.00 15.00 8 to 12 in80 6.00 |
| 5 to 8 in. 1.25 10.00 aurea 4 to 5 ft. 1.00 |
| rigida12 to 24 in25 2.00 15.00 Siberica24 to 30 in30 2.50 |
| strobus, Wt. Pine, 5 to 6 ft. 1.00 10 to 12 in. 1.25 10. |
| 15 to 20 in. 1.50 12.00 Tsuga Canadensis, Hemlock . 4 to 5 ft. 2.00 |
| 10 to 12 in. 1.25 10.00 13dga Canadensis, Heinbert 2 to 3 ft75 6.00 |
| nana12 to 18 in. heads 2.00 18 to 24 in50 4.00 35.00 |
| sylvestris18 in. 1:25 10.00 10 to 12 in. 2.50 20.00 |
| 10 to 12 in. 1.00 8.00 Caroliniana 2 to 4 ft, 1.00 |

Hardy Vines and Climbers.

| | Each | Ten | 100 | | Each | Ten | 100 |
|--------------------------------------|------------|---------------------|--------|---|---------|---------|--------|
| ACTINIDIA arguta 3 yrs. | \$.50 | \$4.50 | \$ | IPOMÆA pandurata, a hardy, peren- | | | |
| AKEBIA quinata, fine Japanese vine. | .25 | 2.25 | | nial morning glory, pieces | \$.25 | \$2.25 | \$ |
| AMPELOPSIS quinquefolia, Virginia | | | | KUDZU vine | .50 | 4.50 | |
| creeper or Woodbine | .15 | 1.25 | 10.06 | LONICERA Japonica var. Haleana, | | | |
| — — var. Englemanii | .25 | 2.25 | 15.00 | Hall's Japan Honey suckle | | | |
| - Veitchii, Boston Ivy, 3 years from | | 2.20 | 10,00 | Hall's Japan Honey Suckle was first | introd | uced b | y the |
| open ground | .25 | 2.25 | 20.00 | O. C. N. in the sixties. There has been | nothing | g intro | oduced |
| APIOS tuberosa | .15 | 1.50 | | since to take its place. It is the best | of al | I the | cilmb- |
| ARCTOSTAPHYLOS Urva-Ursi Bear- | | 2100 | 20,00 | ing honey suckles. | | | |
| berry 2 yrs. | .25 | 2.25 | 15.00 | - sempervirens, Scarlet Trumpet | .25 | 2.25 | |
| | ,20 | 2,20 | 10.00 | — Sullivantii (flava) Yellow Trumpet | .25 | 2.25 | |
| ARISTOLOCHIA sipho, Dutchman's | =0 | ~ 00 | | LYSIUM vulgare, Matrimony Vine | .25 | 2.25 | |
| Pipe | .50 | 5.00 | | MENISPERMUM Canadense, Moon- | | | |
| BIGNONIA radicans (Tecoma), | 0.5 | 0.0- | 1 = 00 | seed | .25 | 2.25 | |
| Trumpet Vine | .25 | 2.25 | | PERIPLOCA Græca, Grecian Silk Vine | | | |
| CELASTRUS paniculata | .25 | 2.25 | 20.00 | 2 ft. | .25 | 2.25 | |
| — scandens, Roxbury waxwork | .25 | 2.25 | | ROSES climbing sorts. See Rosa. | | | |
| CLEMATIS apiifolia | .25 | 2.25 | | VINCA minor, running myrtle or Peri- | | | |
| angustifolia | .50 .50 | 4.50 | | winkle, strong plants, single | | | |
| - Henryi, white | | 4.50 | | and double blue and white, | | | |
| — Jackmanii, purple | .50 .50 | $\frac{4.50}{4.50}$ | 30.00 | single purple | 0.5 | 1.00 | 6.00 |
| - Mongolica | .25 | 2.25 | 20.00 | VITIS Heterophylla | .25 | 2.25 | 20.00 |
| - paniculata, white | .15 | 1.25 | 20.00 | WISTARIA Chinensis, blue | .50 | 5.00 | |
| - Virgiana | .10 | 1.20 | | — — white | .50 | 5.00 | |
| EUONYMUS Japonicus, var. radi- | 0.7 | | | — multijuga, blue, clusters 3 ft. long | .50 | 5.00 | |
| cans, evergreen | .25 | 2.25 | 20.00 | — white — — — | .75 | 7.00 | |
| | | | | | | | |

Fruit Trees, Grapes, Small Fruits, Asparagus and Rhubarb.

| • | Each | Ten | 100 | | FALL. |
|------------------------------------|--|-----|-----|--|--------------------------------------|
| APPLES¾ i Early Harvest, Tetofsky. | n. caliper, 5 to 7 ft30 SUMMER Red Astrachan Yellow Transpa | | | Maiden's Blush, McIntosh Red, Gravenstein. | Porter, Red Crab, Yellow Crab, |

| WINTER. | Each Ten 100 |
|---|--|
| Baldwin, Rhode Island Greening, Fameuse, Russett Golden, Hubbardston, Russett Roxbury, King, Yellow Bellefleur, Northern Spy, York Imperial. | PLUMS, Japanese varieties, 5 to 7 ft. \$ 40 \$ \$ Abundance, Red June, Burbank, Satsuma, Chabot, Wickson, |
| Alternate Baldwin, 5 feet, light \$.50 \$ \$ This is a valuable apple as it bears on the off year. Stock limited. A tree on these grounds has furnished more good fruit for the last 30 years, than any other variety, and it has furnished it invariably on the off year. PEARS | QUINCE 3 to 4 ft30 Champion, Orange, GRAPES two years .15 1.40 10.00 Agawam, red, Moore's Early, black, Brighton, red, Niagara, white, Concord, black, Perkins, white, Delaware, red, Salem, red, Early Ohio, black, Wilder, black. |
| Beurre d'Anjou, Bartlett, Beurre Bosc, 75 cents, Clapp's Favorite, Osband's Summer, Lawrence, Louis Bonne de Jersey. Seckel, | BLACKBERRIES .50 4.00 Kittatiny, Lucretia (Dewberry), Snyder, CURRANTS two years 1.00 8.00 |
| Duchesse d'Angouleme, Sheldon, CHERRIES 5 to 7 ft50 Black Tartarian, Smith's Early Richmond, Windsor, black, May Duke, Yellow Spanish. Napoleon, | Black Naples, Fay's prolific, red, White Grape. GOOSEBERRIES, Downing, two years .15 1.40 10.00 — Industry, two years .25 2.00 RASPBERRIES50 4.00 Blackcap, Cuthbert, Miller's |
| PEACHES 4 to 5 ft 15 1.40 Belle of Georgia, Elberta, Carman, Mayflower, Chair's Choice, Mountain Rose, | ASPARAGUS, Conovers, Colossal, two years |
| Crawford's Early, Old Mixon Free, Crawford's Late, Stump of the World, Crosby, Waddell. PLUMS, European varieties, 5 to 7 ft40 Bradshaw, Lombard, Coe's Golden Drop, Washington, German Prune, Yellow Egg. Green Gage. | STRAWBERRIES, Bubach .15 .75 — Excelsior .15 .75 — Marshall per m. \$6.00 .15 .75 — Nich Ohmer .15 .75 — Splendid .15 .75 — Minute Man .15 .75 |
| German Prune, Yellow Egg. Green Gage, | For Fruit Trees wanted in quantity, prices will be given on application. Asparagus, by 1,000, prices quoted. |

Decorative Perennial Herbaceous Plants.

These plants are all hardy and produce an immediate effect, as they bloom the first year they are planted. The autumn is the best time for putting out herbaccous plants; they should be covered with a forkful of dung to protect them from being thrown out by the frost. They may be planted in the spring, also, with great success. I offer the following choice collections of my own selection, in the very finest and most useful sorts. This class of plants is fast taking the place of bedding plants, as they do not have to be renewed every year.

| Collection of 12 choice sorts, all different, na Collection of 24 choice sorts, all different, na | | $$2.50 \\ 4.50$ | Collection of 50 choice sorts, named, Collection of 100 choice sorts, named, | 1 | | $$5.00 \\ 10.00$ |
|---|--|------------------|---|------------|--------------|------------------|
| Eac | ch Doz. | 100 | | Each | Doz. | 100 |
| ACHILLEA ptarmica, double white for cut flowers | | 10.00 | AQUILEGIA glandulosa \$ — fine mixed Columbines | .15 | 1.50 | 10.00 |
| — Flos Jovis | 5 2.50 | | ARMERIA, Thrift | .15 | 1.50 | |
| extra fine, double | 5 . 1.50 | | hardy | .25 | 2.50 | 15.00 |
| ALYSSUM saxatile, Gold Dust13 | | 10.00 | good plants that have already | | | |
| ANEMONE Japonica rosea elegans. 2: — d'Argent | 5 2.50 5 2.50 5 2.50 5 1.50 5 1.00 5 2.50 | | bloomed — strong plants, fine This is one of our finest native herbaceous plants, blooming all summer. It's rich, orange flowers are very showy. It is much used now in large masses for cemeteries, parks, and all public and private grounds. It is one of the most effective plants in landscape gard- | .10 .15 | 1.00 1.50 | 4.00 10.00 |
| umbine .1. — chrysantha, the best yellow .1. — cœrulea, fine blue .1. — Hybrids .1. | 5 1.50 5 1.50 | $10.00 \\ 10.00$ | ening. ASTER Novæ-Angilæ, Aster, Starwort, or Michaelmas daisy, purple flowers | .15 | 1.50 | 10.00 |

| ASTER Nove-Anglie var. rosea, pink DIGITALIS purpurea, Foxglove, in | 20 |
|--|----------------|
| 0 | 20 |
| flowers \$.15 \$1.50 \$10.00 variety \$.10 \$1.00 \$6.00 | JO |
| — other native species mixed15 1.50 10.00 EPIMEDIUM, good sorts25 2.50 | |
| These are among the finest of late ERIANTHUS Ravennæ, beautiful | |
| blooming flowers pampas-like grass with purple | |
| ASTILBE (Spirea) Japonica15 1.50 10.00 plumes | |
| compacta multiflora | |
| AUBRIETIA deltoidea | |
| BAPTISIA Australis | |
| BOCCONIA Japonica | |
| BOLTONIA asteroides | |
| - latisquama | |
| CAMPANULA persicifolia, blue25 2.50 are very pleasing. I send the best sorts for this purpose | se |
| — — white | |
| medium, Canterbury Bells, double FORGET-ME-NOT. See Myosotis. | |
| and single sorts in variety15 1.50 10.00 FOXGLOVE. See Digitalis. | |
| CASSIA, Marylandica | |
| CHRYSANTHEMUM, choicest hardy, .25 2.50 10.00 — lancifolia, lilac flowers | |
| CLEMATIS, Davidiana, blue, new, — ovata, bluish-lilac flowers25 2.50 | |
| shrubby | |
| For running sorts see Vines. — Sieboldiana with large glaucous | |
| COLUMBINE. See Aquilegia. leaves | |
| CONVALLARIA majalis, Lily of the — subcordata, Day lily, pure white | |
| Valley | |
| These are not prepared for forcing. GAILLARDIA grandiflora, very showy .15 1.50 10.00 |) (|
| COREOPSIS grandiflora | |
| - lanceolata 15 1.50 10.00 triense, a very beautiful Eng- | |
| DELDHINITIM eletum Hybrid Leyls lish variety, bright magenta15 1.50 10.00 | 00 |
| onum 15 150 1000 GILLENIA tillollata (Spirea) | |
| The state of the s | |
| - paniculata, very deficate and beau- | |
| DIANTHUS barbatus. Sweet Wil- tiful with cut flowers 25 2.50 | |
| liams, double and single va- HELENIUM autumnale | 00 |
| rieties | |
| DICENTRA spectabilis (Dielytra), and double | |
| Bleeding Heart | |
| DICTAMNUS Fraxinella, albus, white .25 2.50 — mollis | |
| var. rubra, red | 00 |

| HELIANTHUS orgialis | Each \$.15 | Doz. \$1.50 | 100 \$12.00 | LIATRIS scariosa | ch Doz. | 100 \$6.00 |
|---|-------------|---------------------|----------------|---|---------|---------------|
| HEMEROCALLIS Dumortieri, orange | • | | • | L. scariosa is very effective planted in ma- | sses. | 70.00 |
| yellow | .10 | 1.00 | 6.00 | LILIUM auratum, Golden-Banded Lily .1 — candidum, Ascension Lily1 | | |
| — flava, lemon yellow — fulva, tawny brown (\$35 per | .10 | 1.00 | 6.00 | - candidum, Ascension Lily | | |
| 1,000), for covering embank- | | | | — roseum | | |
| ments or rough or unsightly | | | | - tigrinum, Tiger Lily | | |
| spots, very useful | .10 | .75 | 4.00 | — umbellatum, orange-red | 5 1.50 | |
| — var. fl. pl., Double tawny brown — Thunbergii, lemon-yellow like H. | .15 | 1.50 | 10.00 | LOBELIA cardinalis, Cardinal Flower | | |
| flava, but later | .25 | 2.50 | | intense red. This fine peren- | | |
| HIBISCUS Moscheutos, Marsh Mal- | | | | nial is of easy cultivation in | | |
| low | .15 | 1.50 | 10.00 | gardens where it blooms all summer. It is much used now | | |
| Very choice plants for masses, | | | | for its brilliant landscape ef- | | |
| blooming for a long period in mid-summer. | | | | fect. Plants that will bloom | | |
| HIERACIUM aurantiacum, rich orange | .15 | 1.50 | 10.00 | the first year | 0 1.00 | 4.00 |
| HOLLYHOCK. See Althæa. | | | 20100 | — stronger plants that will bloom the first year | 5 150 | 10.00 |
| IBERIS Gibraltica Hardy Candytuft | .25 | 2.25 | | LUPINUS polyphyllus, Pennial Lu- | 0 1.00 | 10.00 |
| - sempervirens | .25 | 2.25 | | pine | | |
| — Ternoneana | .25 | 2.25 | | LYCHNIS chalcedonica. London Pride .1 LYSIMACHIA nummularia. Money- | 5 1.50 | |
| IRIS cristata, dwarf, beautiful | .15 | 1.50 | 10.00 | wort, pretty for vases | 0 1.00 | 6.00 |
| Germanica, in great variety Japan or Kæmpfer's | .15 .15 | $\frac{1.50}{1.50}$ | 10.00 10.00 | MALLOWS. See Hibiscus. | | 0 |
| — pseudacorus yellow, fine | .25 | 2.50 | 10.00 | MERTENSIA Virginica, Lung-wort1 | | |
| — Siberian, lovely | .15 | 1.50 | | MITCHELLA repens, Partridge Berry, .1 MONARDA didyma | | |
| - versicolor | .15 | | 10.00 | MYOSOTIS palustris, forget-me-nots, | 9 1.50 | |
| These beautiful hardy garden Iris a desirable plants for the border. The so | | | | sorts | 5 1.50 | 10.00 |
| very varied. | | 0 01101 | ou wro | OROBUS vernus | | |
| LARKSPUR. See Delphinium. | | | | — rose | 5 2.50 | |
| LATHYRUS latifolius, rose. Hardy | | | | PANSIES, in very choice sorts1 | 0 .50 | 3.00 |
| perennial Pea | .15 | 1.50 | | PAPAVER bracteatum | | |
| — — white | .15 | 1.50 | 10.00 | - involucratum maximum | | |
| LIATRIS pycnostachya, Kansas Gay Feather | .25 | 2.50 | 15.00 | — orientale (large oriental poppy)l The above are the great Asiatic poppies, p | | |
| 2 0000101 | | 2100 | 20100 | zac asset size and Stone inches babbies, b | | 43, |

| | | | 1 | DOLLIGON AND AND | Each | Doz. | 100 |
|--|-------|------|----------------|--|------------|---------------------|------------------|
| producing immense deep blood red and with various markings. They are among flowers known, and should be in every g | the | most | showy | POLYGONATUM multiflorum. Solo- mon's Seal. | \$.25 | \$2.50 | \$ |
| in masses in public grounds. August bes PAPAVER nudicaule, the Iceland | | | | POLYGONUM amplexicaule, Mountain Fleece | .15 | 1.50 | |
| Poppy, choice | Each | | 100 \$10.00 | growing plant for covering rough places | .10 | 1.00 | 6.00 |
| PARDANTĤŮS sinensis, Blackberry Lily | .25 | 2.50 | 15.00 | PRIMULA officinalis (Polyanthus) fine gold laced varieties | .15 | 1.50 | 10.00 |
| PEONIES. See p. p. 23-24. — named varieties | .25 | 2.50 | 20.00 | PYRETHRUM hybrid sorts, colored Daisies, a good collection of single varieties | 95 | 0.50 | 15.00 |
| PHALARIS arundinacea variegata | .10 | 1.00 | 6.00 | — uliginosum, the Great Ox Eye | .25 | | 15.00 |
| PHLOX hybrids in following selected varieties | .15 | 1.50 | | Daisy, white | .15 .15 | $\frac{1.50}{1.50}$ | $10.00 \\ 10.00$ |
| Aurora borealis, light crimson, | *** | | | — — Golden Glow | .15 | 1.50 | 8.00 |
| Coquelicot, bright red, | | | | — maxima | .15 | 1.50 | |
| Esperance, lavender, pink, | | | | speciosa | .15 | 1.50 | 10.00 |
| Fedora, large light pink, | | | | SABBATIA chloroides | | 1.00 | 6.00 |
| Ferdinand Cortez, bright crimson, | | | | This beautiful plant is now largely plant | | | |
| Independence, pure white, large, Lumineux, large pink, centre ligi | hŧ | | | ders of brooks, lakes and moist meadows. | | | |
| Michael Buchner, light pink, dar | | tro | | most charming of our native flowers, bloc | ming | all su | mmer, |
| Mme. Meuret, bright red, | K cen | ure, | | rich rose, showy. | 15 | 1.00 | 0.00 |
| Mme. P. Langier, salmon pink, | | | | SOLIDAGO, golden rods, fine sorts SPIR.EA, Aruncus, Goat's Beard, | .15 | 1.00 | 6.00 |
| Ornament, large red, | | | | white | .15 | 1.50 | |
| Pink Beauty, | | | | - Filipendula, white | .15 | 1.50 | 10.00 |
| R. P. Struther, salmon, crimson | cent | re, | | — var. fl. pl. double white | .15 | 1.50 | 20.00 |
| Saisons Liervol, white, pink eye, | | | | — Japonica. See Astilbe. | | | |
| — subulata, atropurpurea | .15 | 1.50 | | — palmata, rosy crimson | .15 | 1.50 | |
| — — lilae | .15 | 1.50 | | — var. elegans, white | .15 | 1.50 | |
| — — white | .15 | 1.50 | | — Ulmaria, double white | .25 | 2.50 | |
| PLATYCODON grandiflora, blue | .15 | 1.50 | 10.00 | — — variegata picta | .25 | 2.50 | |
| blue and white striped | .15 | 1.50 | 10.00 | SWEET WILLIAMS. See Dianthus. | | | |
| — — white | .15 | 1.50 | 10.00 | VERNONIA Novaboracensis, Ironweed. | .25 | 2.50 | |
| - mixed sorts | .10 | 1.00 | 6.00 | | | | |
| — — var. Mariesii | .25 | 2.50 | | VINCA. See Vines. | | | 10.00 |
| POLYANTHUS. See primula. | | | | VIOLA cornuta in colors | .15 | 1.50 | 10.00 |

| | Each | Doz. | 100 |
|---------------------------------|------|------|-------|
| VIOLA cucullata, white and blue | | | |
| — Florida, blue fragrant | .15 | 1.50 | |
| — odorata, English blue | .15 | 1.50 | 10.00 |
| — — white | .15 | 1.50 | 10.00 |
| — — Schönbrunn | .15 | 1.50 | 10.00 |
| — pedata | .15 | 1.50 | 10.00 |

These violets are all perfectly hardy. Viola cucullata, rich blue, is very much esteemed abroad for its fine effect in plantations, forming great clumps and blooming pro-

fusely. The English violets are very sweet and should be in every garden. Schönbrunn is very fragrant and was a great favorite of Unser Fritz, and was named from his palace and grounds in Germany, where it originated.

Schönbrum and English white are very useful to plant freely on the borders of avenues, etc., and will perfume your whole estate.

WAHLENBERGIA. See Platycodon.

I will furnish 1,000 herbacceous plants of my own choice, fine sorts, for \$100.

Tender Bulbs.

To be kept in the cellar in winter like dahlias.

| | | 100 | | Doz. | |
|--------------------------|-----|--------|---------------------------|--------|--------|
| GLADIOLUS, scarlet mixed | .25 | \$1.50 | GLADIOLUS, striped, mixed | \$.40 | \$2.50 |
| pink, mixed | | | | | |
| — white, mixed | .35 | 2.25 | — choice, mixed | .25 | 1.50 |

Peonies - New Chinese and Japanese Herbaceous. Well Established Plants from the Open Ground.

These fine Japanese and Chinese Peonies are well known to be the most showy flowers in cultivation, and are particularly adapted to our climate. They are entirely hardy and bloom a long time. They are accordingly very much used now for large masses in cemeteries, parks and pleasure grounds; and may be followed by Lemoine's beautiful new French Gladiolus, the stiff foiliage helping to support the spikes of the gladiolus. Gladioli should be planted among the peonies in May.

Plants are now twenty-five cents, your choice. Twelve, all different, named sorts, my choice, \$2.50. Twenty-five, all different, named sorts, my choice, \$5.00.

Plants are divided of these named varieties. They will have from one to three eyes. When planted in the fall about 80 per cent. bloom the following year.

ALEXANDER MECHIN. Dark crimson with yellow stamens.

AMBROISE VERSCHAFFELT. Dark Red. ANEMONE FLOWERED RUBRA. Dark red.

BUYCHII. Brilliant rose with salmon centre, full double. CAMILLE CALOT. Very dark rich rose, one color. CHARLES DE BELLYME. Brilliant violet purple.

COMTE DE NEIPPERG. Bright amaranth carmine. DELACHII. Rich deep amaranth, full double.

DE VILLANEUVE. Dark Pink.

DUCHESS D'ORLEANS. Rose.

EDOUARD ANDRE. Dark crimson with yellow stamens. EDULES SUPERBA. Full double large pink.

FAUST. Deep pink.

FESTIVA MAXIMA. White, 50 cents each.

FRANCOIS FIRST. Pink, center salmon flecked with red.

INDISPENSIBLE. Rose.

LOUIS VAN HOUTTE. Crimson. Extra good bloomer. LUCRECE. Rosy peach, center rosy white. MME. CHENEY. Pink shaded to white, extra large.

MME. FURTADO. Deep violet rose, center bright salmon.

MARECHAL VAILLANT. Very large, full double, deep
pink.

MARQUÎS DE LA TOURETTE. Brilliant purple wine. NE PLUS ULTRA. Fine, full double rosy pink.

PAGANINI. Brilliant rose, salmon center.

POTTSI PLENA. Dark red.

PROLIFICA TRICOLOR. White, yellow and red. PURPUREA SUPERBA. Large, dark red.

REINE POTARD. Dark pink.

RICHARD FETTERS. Light pink.

SOUVENIR DE PORTEAU. Flesh color and light yellow. SOUVENIR D'AUGUSTE MIELLEZ. Rich violet purple,

cup shape.

SUPERBISSIMA. Full double, pink shading to white. VICTORIE MODISTE. Rich pink, center pink and white. VIRGINIE. Large delicate blush, suffused with pink. WASHINGTON. Bright red, center light salmon yellow.

Pæonia Officinalis.

These peonies are very desirable, as they bloom a week or ten days earlier than the preceding sorts. Price 25c. each; \$2.50 per dozen.


PÆONIA officinale, double red.

PÆONTA officinale, single red.


We are in correspondence with all growers of hardy ornamental nursery stock in the United States, in France, England and Germany.

Shall be glad to make special quotations on any ornamental nursery stock (hardy in New England) on lists calling for ten or more of a kind. When varieties not offered in this catalogue are called for, lists must be received before the middle of March.

Stocks run short in most unexpected places, the earlier long lists are received, the better the chance of procuring the stock desired, at a reasonable price.



Hudson Garden Hose Mender



This device is put up in boxes and is

Especially Adapted for Family Use

It is made in three sizes for 1/2-inch, 3/4-inch and 1-inch hose.

Each box containing one pair Pliers, 6 Tubes and 20 Bands.

The device is are of sheet brass, and the bands of best malleable brass wire The pliers made of refined iron, nicely japanned. The tubes

SO SIMPLE A CHILD CAN USE IT.

than with any other device. Hose can be mended or couplings fastened on more securely

Every person who uses hose should have one of these boxes We furnish extra parts when wanted.

Directions for Using the Hudson Hose Mender.

paid by mail on receipt of 75 cents ordering be sure and state inside diameter of hose. way round, as too much twisting may break the band. with other end as above. half round, bend the hook ends down on the hose. the pliers, press the handles together hard, the groove in the tube, pass the hook ends through the holes in tube in one end, place one of the brass bands on the hose over Cut out the burst portion of the hose; insert one-half of the Caution! Twist the plier but half twist the pliers one-Sent pre-

HUDSON & CO.

LEOMINSTER,

MASS